

CLAIMS

What is claimed is:

1. (original) A universal attachment structure, comprising:
 - a base section;
 - one or more wheels coupled to the base section;
 - one or more telescoping arms extending upward from the base section;
 - at least one adjustable loop coupled to the telescoping arms; and
 - a handle coupled to the at least one adjustable loop.
2. (withdrawn) The universal attachment structure of claim 1, wherein the base section further comprises a securing mechanism for securing an item to the base section.
3. (withdrawn) The universal attachment structure of claim 2, wherein the securing mechanism includes at least one ratchet.
4. (withdrawn) The universal attachment structure of claim 2, wherein the securing mechanism is an adjustable strap.
5. (withdrawn) The universal attachment structure of claim 4, wherein the adjustable strap includes at least one ratchet.
6. (withdrawn) The universal attachment structure of claim 1, wherein the base section further comprises a kickplate.
7. (withdrawn) The universal attachment structure of claim 1, wherein the one or more wheels coupled to the base section are inline skate wheels.
8. (original) The universal attachment structure of claim 1, wherein the at least one adjustable loop is coupled to the telescoping arms via attachment fixtures.

9. (withdrawn) The universal attachment structure of claim 8, wherein the at least one adjustable loop comprises a first end and a second end.
10. (withdrawn) The universal attachment structure of claim 8, wherein the base section and the attachment fixtures further comprise hinges.
11. (withdrawn) The universal attachment structure of claim 8, wherein the first end of the at least one adjustable loop is permanently coupled to the attachment fixtures.
12. (withdrawn) The universal attachment structure of claim 8, wherein the second end of the at least one adjustable loop is detachably coupled to the attachment fixtures.
13. (original) The universal attachment structure of claim 1, wherein the handle is extendable.
14. (withdrawn) The universal attachment structure of claim 1, wherein the handle further comprises hinges.
15. (withdrawn) The universal attachment structure of claim 1, wherein the handle further comprises a shock absorbent section.
16. (original) The universal attachment structure of claim 1, further comprising telescoping supports coupled to the telescoping arms.
17. (original) The universal attachment structure of claim 16, wherein the handle is coupled to the telescoping supports.
18. (withdrawn) The universal attachment structure of claim 1, further comprising a flange section coupled to the base section for providing additional support.

27. (withdrawn) The universal attachment structure of claim 26, wherein the platform is a flange.

28. (Original) The universal attachment structure of claim 19, wherein the bottom section of the telescoping arms is configured to receive the top section of the telescoping arms.

19. (original) A collapsible universal attachment structure, comprising:
- a hinged base;
 - one or more wheels coupled to the base;
 - an adjustable strap coupled to the base;
 - telescoping arms having a top section and a bottom section extending upwardly from the base;
 - at least two hinged attachment fixtures for receiving the top section of the telescoping arms; and
 - an extendable handle coupled to the attachment fixtures.
20. (original) The universal attachment structure of claim 19, wherein the extendable handle is coupled to a vertical end of the at least two hinged attachment fixtures.
21. (original) The universal attachment structure of claim 19, wherein the extendable handle is coupled to a horizontal end of the at least two hinged attachment fixtures.
22. (original) The universal attachment structure of claim 19, wherein the adjustable strap is capable of sliding vertically along the telescoping arms.
23. (withdrawn) The universal attachment structure of claim 19, further comprising an adjustable loop coupled to the at least two hinged attachment fixtures.
24. (original) The universal attachment structure of claim 19, further comprising an adjustable loop coupled to the top section of the telescoping arms.
25. (original) The universal attachment structure of claim 24, wherein the adjustable loop is capable of sliding along a length of the telescoping arms.
26. (withdrawn) The universal attachment structure of claim 19, further comprising a hinged platform coupled to the base section for providing additional support.